

Amendments to the Specification:

Please replace the paragraph starting on page 72, line 20 spanning to page 74, line 23 with the following amended, marked-up paragraph.

The following preferred compounds were representatively observed to exhibit a Ki value of about 20 nM or less for at least two of the following receptors: D2, 5HT1B and 5HT2A or an effective Ki value at about 10 nM or less for each of said receptors

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-(6-morpholin-4-ylmethyl-pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-(5-piperidin-1-ylmethyl-pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-2-(5-Fluoro-benzo[d]isoxazol-3-yl)-7-(5-pyrrolidin-1-ylmethyl-pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-diethyl-amine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-dimethyl-amine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-ethyl-methyl-amine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-{2-methoxy-1-methyl-ethyl}-amine

(7R, 9aS)-trans- [6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-{2-methoxy-ethyl}-methyl-amine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-cyclopentyl-methyl-amine

(7R, 9aS)-trans-7-(5-Azetidin-1-ylmethyl-pyridin-2-yloxyethyl)-2-benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-[5-(2-methyl-aziridin-1-ylmethyl)-pyridin-2-yloxyethyl]-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-[5-(2-methoxymethyl-pyrrolidin-1-ylmethyl)-pyridin-2-yloxyethyl]-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-tert-butyl-amine

(7S, 9aS)-cis-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-ethyl-methyl-amine

(7S, 9aS)-cis-7-(5-Azetidin-1-ylmethyl-pyridin-2-yloxyethyl)-2-benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-2-ylmethyl]-dimethyl-amine

(7R, 9aS)-trans-Cyclohexyl-[6-[2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-pyridin-2-ylmethyl]-amine

(7R, 9aS)-trans-2-(Ethyl-[6-[2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-amino)-ethanol

(7R, 9aS)-trans-7-[6-(2,6-Dimethyl-piperidin-1-ylmethyl)-pyridin-2-yloxyethyl]-2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-(1,2-Dimethyl-propyl)-[6-[2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethyl]-pyridin-2-ylmethyl]-amine

(7R, 9aS)-trans-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-2-ylmethyl]-[2-methoxy-ethyl]-methyl-amine

(7R, 9aS)-trans-1-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-[S]-pyrrolidin-3-ol

(7R, 9aS)-trans-1-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-[R]-pyrrolidin-3-ol

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-[5-(2-methyl-pyrrolidin-1-ylmethyl)-pyridin-2-yloxyethyl]-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-1-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-piperidin-4-ol

(7R, 9aS)-trans-Cyclopropyl-[6-[2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-amine

(7R, 9aS)-trans-Cyclopropylmethyl-[6-[2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-amine

(7R, 9aS)-trans-2-(5-Fluoro-benzo[d]isoxazol-3-yl)-7-[6-(4-methyl-piperazin-1-ylmethyl)-pyridin-2-yloxyethyl]-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-2-(5-Fluoro-benzo[d]isoxazol-3-yl)-7-(6-piperidin-1-ylmethyl-pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-[2-(5-Fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-dimethyl amine

(7R, 9aS)-trans-[6-[2-(5-Fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-tetrahydro-furan-2-ylmethyl]-amine

(7R, 9aS)-trans-7-[6-(2,5-Dimethyl-pyrrolidin-1-ylmethyl)-pyridin-2-yloxyethyl]-2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-[2-(5-Fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-[3-(4-methyl-piperazin-1-yl)-propyl]-amine

(7R, 9aS)-trans-[6-[2-(5-Fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy]-pyridin-2-ylmethyl]-pyrrolidin-1-yl amine

(7R, 9aS)-trans-7-(6-Azepan-1-ylmethyl-pyridin-2-yloxyethyl)-2-(5-fluoro-benzo[d]isoxazol-3-yl)-octahydro-pyrido[1,2-a]pyrazine

(7S, 9aS)-cis-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-3-ylmethyl]-cyclohexyl-methyl-amine

(7R, 9aS)-trans-1-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-2-ylmethyl]-S-pyrrolidin-3-ol

(7R, 9aS)-trans-1-[6-(2-Benzo[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-2-ylmethyl]-R-pyrrolidin-3-ol

(7R, 9aS)-trans-2-Benzo[d]isoxazol-3-yl-7-(6-pyrrolidin-1-ylmethyl-pyridin-2-yloxyethyl)-octahydro-pyrido[1,2-a]pyrazine

(7R, 9aS)-trans-[6-(2-Benzof[d]isoxazol-3-yl-octahydro-pyrido[1,2-a]pyrazin-7-ylmethoxy)-pyridin-2-ylmethyl]-benzyl-amine

(7R, 9aS)-trans-2-Benzof[d]isoxazol-3-yl-7-(5-pyrrolidin-1-ylmethyl-pyridin-2-ylloxymethyl)-octahydro-pyrido[1,2-a]pyrazine

(7S, 9aS)-cis-2-Benzof[d]isoxazol-3-yl-7-(5-pyrrolidin-1-ylmethyl-pyridin-2-ylloxymethyl)-octahydro-pyrido[1,2-a]pyrazine